Acta Physiol Scand 1994, 150, 467–470

Author index

AAS, P. Responses of noradrenergic nerves in rabbit ear-artery before and after experimental frostbite, 381

AHRÉN, B. *see* VAN DIJK, G.

AKSNES, G. *see* STOKKE, M.

ÅNEMAN, A. *see* WEIXIONG, H.

ALM, P. *see* HEDLUND, P.

ANDERSEN, J.L., KLITGAARD, H., BANGSBO, J. & SALTIN, B. Myosin heavy chain isoforms in single fibres from m. vastus lateralis of soccerplayers: effects of strength-training, 21

ANDERSSON, B. *see* ERIKSSON, S.

ANDERSSON, K.-E. *see* HEDLUND, P.

ARCHER, D.R., DAHLIN, L.B. & MCLEAN, W.G. Changes in slow axonal transport of tubulin induced by local application of colchicine to rabbit vagus nerve, 57

ARDIGO', L.P., *see* MINETTI, A.E.

ARLOCK, P. *see* MÖRNER, S.E. J.N.

ARLOCK, P. *see* MÖRNER, S.E. J.N.

ARLOCK, P. *see* MÖRNER, S.E. J.N.

ARNER, M., USKI, T. & HÖGESTATT, E.D. Endothelium dependence of prostanoid-induced relaxation in human hand veins, 267

ASZTÉLY, A. *see* EKSTRÖM, J.

BALKAN, B., *see* VAN DIJK, G.

BALSOM, P.D., EKBLOM, B. & SJÖDIN, B. Enhanced oxygen availability during high intensity intermittent exercise decreases anaerobic metabolite concentrations in blood, 455

BANGSBO, J. Estimation of lactate release from contracting muscles in man, 349

BANGSBO, J. *see* ANDERSEN, J.L.

BENESTAD, H.B. *see* IVERSON, P.O.

BJERK, P. & LUNDVALL, J. Rapid and large plasma volume decrease upon short-term quiet standing, 347

BOJÖ, L., CASSUTO, J., NELLGÅRD, P. & JÖNSSON, A. Adrenergic, cholinergic and VIP-ergic influence on gastric phasic motility in the rat, 67

BOUWS, G. *see* VAN DIJK, G.

BRISMAR, T., LEFVERT, A. & JONDAL, M. A method for analysis of cellular K-transport mechanisms through thallium (^{210}TI) uptake in human lymphocytes, 299

BRODIN, L. & SHUPLIAKOV, O. Functional diversity of central glutamate synapses- pre- and post-synaptic mechanisms, 1

BRØRS, O. *see* STOKKE, M.

BRUROCK, H. *see* SCHØTT, J.

BUGGE, J.F. & STOKKE, E.S. Angiotensin II and renal prostaglandin release in the dog. Interactions in controlling renal blood flow and glomerular filtration rate, 431

CARLSSON, S. *see* FENG, Q.

CASSUTO, J. *see* BOJÖ, L.

CEDERQVIST, B. & GUSTAFSSON, L.E. Modulation of neuroeffector transmission in guinea-pig pulmonary artery and vas deferens by exogenous nitric oxide, 75

CLAUSEN, T. *see* MADSEN, K.

COYA, R. *see* PINEDA, J.

DAHLIN, L.B. *see* ARCHER, D.R.

DIENER, M. & GABATO, D. Thromboxane-like actions of prostaglandin D_2 on the contractility of the rat colon *in vitro*, 95

EIKEN, O., SUN, J.C. L. & MEKJAVIC, I.B. Effects of blood-volume distribution on the characteristics of the carotid baroreflex in humans at rest and during exercise, 89

EKBLOM, B. *see* BALSOM, P.D.

EKELUND, U. *In vivo* effects of endothelin-2, endothelin-3 and ET_A receptor blockade on arterial, venous and capillary functions in cat skeletal muscle, 47

EKMAN, R. *see* TOBIN, G.

EKSTRÖM, J., ASZTÉLY, A., HELANDER, H.F. & TOBIN, G. Depletion of secretory granules from the feline parotid gland: action of NANC transmitters *per se*, 83

EKSTRÖM, J., *see* TOBIN, G.

ERIKSEN, M. & WAALER, B.A. Priority of blood flow to splanchnic organs in man during pre- and post-meal exercise, 363

ERIKSSON, S., ANDERSSON, B., GUNNARSON, U & RUNDGREN, M. Hypertension and thirst outlasting renal vasoconstriction as effects of a brief elevation of system angiotensin II in sheep, 181

FÄNDRIKS, L., HAMLET, A. & JÖNSON, C. Duodenal wall motility, mucosal net fluid and alkaline secretion in response to luminal acid: role of the vagal nerves and cholingeric transmission, 273

FENG, Q., CARLSSON, S., THORÉN, P. & HEDNER, T. Characteristics of renal sympathetic nerve activity in experimental congestive heart failure in the rat, 259

FRANCH, J. *see* MADSEN, K.

GABATO, D. *see* DIENER, M.

GUNNARSON, U *see* ERIKSSON, S.
GUNNARSON, U. & RUNDGREN, M. Inefficiency of intracerebroventricular ANP to alter haemodynamic, plasma vasopressin and renin responses to haemmorhage in sheep, 441
GUSTAFSSON, H. & NILSSON, H.RHYTHMIC CONTRACTIONS IN ISOLATED SMALL ARTERIES OF RAT: ROLE OF K^+ CHANNELS AND THE Na^+,K^+-PUMP, 161
GUSTAFSSON, L.E. *see* CEDERQVIST, B.
GUSTAFSSON, L.E. *see* PERSSON, M.G.
GUSTAFSSON, U., SJÖBERG, F., LEWIS D.H. & THORBORG, P. *Effect of hypoxic hypoxia and ritanserin on capillary flow and oxygenation in rabbit skeletal muscle*, 39

HAGELIN, E.M. *see* STOKKE, M.
HÅKANSON, R. *see* TOBIN, G.
HÄKKINEN, K. & PAKARINEN, A.SERUM HORMONES AND STRENGTH DEVELOPMENT DURING STRENGTH TRAINING IN MIDDLE-AGED AND ELDERLY MALES AND FEMALES, 211
HALL, K. *see* PINEDA, J.
HAMLET, A. *see* FÄNDRIKS, L.
HAO, J.-X., XU, X.-J. & WEISENFELD-HALLEN, Z. Systemic *N*-nitro-L-arginine-ester (L-NAME), inhibitor of nitric oxide synthase, relieves chronic allodynia-like symptom in rats with spinal cord lesion, 457
HARALDSSON, B. *see* JOHNSSON, E.
HARGREAVES, M. & PROIETTO, J. Glucose kinetics during exercise in trained men, 221
HEDLUND, H. *see* HEDLUND, P.
HEDLUND, P., ALM, P., HEDLUND, H., LARSSON, B. & ANDERSSON, K.-E. LOCALIZATION AND EFFECTS OF PITUITARY ADENYLATE CYCLASE-ACTIVATING POLYPEPTIDE (PACAP) IN HUMAN PENILE ERECTILE TISSUE, 103
HEDNER, T. *see* FENG, Q.
HELANDER, H.F. *see* EKSTRÖM, J.
HELLSTEN-WESTING, Y. *see* NORMAN, B.N.
HÖGESTATT, E.D. *see* ARNER, M.
HOLTEN, T. *see* SCHØTT, J.

ISBERG, B. *see* MAGNUSSON, G.
IVERSON, P.O., BENESTAD, H.B. & NICOLAYSEN, G. Haemorrhage-induced splenic vasodilation in the rat is mediated by sympathetic vasomotor responses, 373
JACOBSSON, G. *see* PINEDA, J.
JACOBSSON, G. *see* PINEDA, J.
JANSSON, E. *see* NORMAN, B.N.
JEŽOVÁ, D., KVETŇANSKÝ, R. & VIGAŠ, M. Sex differences in endocrine response to hyperthermia in sauna, 239
JOHNSSON, E., RIPPE, B. & HARALDSSON, B. Analysis of the pressure-flow characteristics of isolated perfused rat kidneys with inhibited tubular reabsorption, 189
JOHNSSON, E., RIPPE, B. & HARALDSSON, B. Reduced permselectivity in isolated perfused rat kidneys following small elevations of glomerular capillary pressure, 201
JONDAL, M. *see* BRISMAR, T.
JÖNSON, C. *see* FÄNDRIKS, L.
JÖNSSON, A. *see* BOJÖ, L.
JØRGENSEN, L.G., *see* PERKO, G.
JUEL, C. *see* KRISTIANSEN, S.
JYNGE, P. *see* SCHØTT, J.

KAIJSER, L., *see* MAGNUSSON, G.
KALZEN, H. *see* PERSSON, M.G.
KASAKI, J., *see* VALEN, G.
KASUGA, N. *see* TAKEKURA, H.
KLITGAARD, H. *see* ANDERSEN, J.L.
KRISTIANSEN, S., WOJTASZEWSKI, J.F., JUEL, C. & RICHTER, E.A. Effect of glucose-6-phosphate and pH on glucose transport in skeletal muscle plasma membrane giant vesicles, 227
KVETŇANSKÝ, R. *see* JEŽOVÁ, D.

LAKE, M.K., *see* PINEDA, J.
LAKE, M. *see* PINEDA, J.
LANDE, K., *see* STOKKE, M.
LANDOW, L., *see* PERKO, G.
LÄNNERGREN, J. *see* RYDQVIST, B.
LARSSON, B. *see* HEDLUND, P.
LEFVERT, A. *see* BRISMAR, T.
LEWIS D.H. *see* GUSTAFSSON, U.
LILLRANK, S.M., O'CONNOR W.T., SARANSAARI P. & UNGERSTEDT U. *In vivo* effects of local and systemic phencyclidine on the extracellular levels of catecholamines and transmitter amino acids in the dorsolateral striatum of anaesthetized rats, 109
LINDFELDT, J., *see* VAN DIJK, G.
LINDGREN, S. *see* MÖRNER, S.E. J.N.
LINKIS, P., *see* PERKO, G.
LUNDGREN, O. *see* WEIXIONG, H.
LUNDVALL, J. *see* BJERK, P.
LYNCH, G.S. & WILLIAMS, D.A. THE EFFECT OF EXERCISE ON THE CONTRACTILE PROPERTIES OF SINGLE SKINNED FAST- AND SLOW-TWITCH SKELETAL MUSCLE FIBRES FROM THE ADULT RAT, 141

MADSEN, K., FRANCH, J. & CLAUSEN, T. Effects of intensified endurance training on the concentration of NA,K-ATPase and Ca-ATPase in human skeletal muscle, 251
MAGNUSSON, G., KAIJSER, L., ISBERG, B. & SALTIN, B. Cardiovascular responses during one- and two-legged exercise in middle-aged men, 353
MALMQVIST, U. Effects of long-term portal hypertension on structure, active force and content of contractile and structural proteins in smooth muscle of the rat portal vein, 171
MARTINUSSEN, H.J., WALDENSTRÖM, A. & RONQUIST, G. Dynamic changes of myocardial inisitoltri-

phosphate and cyclic nucloetides: relationship to contractile response in the perfused working rat heart after adrenergic and muscarinic agonist stimulation, 133
MAZEVET, D. & PIERROT-DESEILLIGNY, E. Pattern of descending exitation of presumed propriospinal neurones at the onset of voluntary movement in humans, 27
MCLEAN, W.G. *see* ARCHER, D.R.
MEISTER, B. *see* PINEDA, J.
MEKJAVIC, I.B. *see* EIKEN, O.
MINETTI, A.E., ARDIGO', L.P., & SAIBENE, F. The transition between walking and running in humans: metabolic and mechanical aspects at different gradients, 315
MÖRNER, S.E. J.N. *see* SPENCER, C.I.
MÖRNER, S.E. J.N. & ARLOCK, P. Mechanical and electrophysiological effects on the force frequency relationship in mammalian myocardium, 125
MÖRNER, S.E. J.N. & ARLOCK, P. The contractile and electrophysiological effects of rolipram in guinea-pig papillary muscles and isolated ventricular myocytes, 117
MÖRNER, S.E. J.N., ARLOCK, P. & LINDGREN, S. The inotropic mechanisms of the phosphodiesterase inhibitor OPC 3911 alone and in combination with rolipram, studied in papillary muscles of ferret and guinea-pig ventricular muscle, 325

NAGY, S. *see* VALEN, G.,
NELLGÅRD, P. *see* BOJÖ, L.
NICOLAYSEN, G. *see* IVERSON, P.O.
NILSSON, H. *see* GUSTAFSSON, H.
NILSSON, U. *see* WEIXIONG, H.
NOBLE, M.I. M. *see* SPENCER, C.I.
NORMAN, B.N., HELLSTEN-WESTING, Y., SJÖDIN, B. & JANSSON, E. AMP deaminase in skeletal muscle of healthy males quantitatively determined by new assay, 397

O'CONNOR W.T. *see* LILLRANK, S.M.

PAKARINEN, A. *see* HAKINEN, K.
PAYNE, G. *see* PERKO, G.
PERKO, G., PAYNE, G., LINKIS, P., JØRGENSEN, L.G., LANDOW, L., WARBERG, J. & SECHER, N.H. Thoradic impedance and pulmonary atrial natriuretic peptide during head-up tilt induced hypovolaemic shock in humans, 449
PERSSON, M.G., KALZEN, H. & GUSTAFSSON, L.E. Oxygen or low concentration of nitric oxide reverse pulmonary vasoconstriction induced by nitric oxide synthesis inhibition in rabbits, 405
PIERROT-DESEILLIGNY, E. *see* MAZEVET, D.
PINEDA, J., COYA, R., JACOBSSON, G., LAKE, M., HALL, K. & MEISTER, B. Decreased insulin-like growth factor binding protein-4 (IGFBP-4) mRNA levels in the liver after hypophysectomy, 235
PINEDA, J., COYA, R., JACOBSSON, G., LAKE, M.K., HALL, K. & MEISTER, B. Chondrocytes of the adult rat express mRNA for insulin-like growth factor binding protein-4 (IGFBP-4), 345
PROIETTO, J. *see* HARGREAVES, M.
PURALI, N. *see* RYDQVIST, B.

RICHTER, E.A. *see* KRISTIANSEN, S.
RIPPE, B. *see* JOHNSSON, E.
RØED, A. An inhibitory effect of veratridine during tetanic stimulation of the rat diaphragm, 389
RONQUIST, G. *see* MARTINUSSEN, H.J.
RUNDGREN, M *see* ERIKSSON, S.
RUNDGREN, M. *see* GUNNARSON, U.
RYDQVIST, B., PURALI, N. & LÄNNERGREN, J. Viscoelastic properties of the rapidly adapting stretch receptor muscle of the crayfish, 151

SAIBENE, F. *see* MINETTI, A.E.
SALTIN, B. *see* ANDERSEN, J.L.
SALTIN, B. *see* MAGNUSSON, G.
SARANSAARI P. *see* LILLRANK, S.M.
SCHEURINK, A.J.W. *see* VAN DIJK, G.
SCHØTT, J., JYNGE, P., HOLTEN, T. & BRUROCK, H. Ischaemic episodes of less than five minutes produce pre-conditioning but not stunning in the isolated rat heart, 281
SECHER, N.H. *see* PERKO, G.
SEED W.A. *see* SPENCER, C.I.
SHUPLIAKOV, O. *see* BRODIN, L.
SIESJÖ, B.K. *see* ZHAO, Q.
SJÖBERG, F. *see* GUSTAFSSON, U.
SJÖDIN, B. *see* BALSOM, P.D.
SJÖDIN, B. *see* NORMAN, B.N.
SMITH, M.L. *see* ZHAO, Q.
SPENCER, C.I., MÖRNER, S.E. J.N., NOBLE, M.I. M. & SEED W.A. Influences of stimulation frequency and temperature on interval-force relationships in guinea-pig papillary muscles, 11
STEFFENS, A.B. *see* VAN DIJK, G.
STOKKE, E.S. *see* BUGGE, J.F.
STOKKE, M., AKSNES, G., LANDE, K., HAGELIN, E.M. & BRØRS, O. Density of *L*-type calcium channels in ischaemically preconditioned porcine heart regions, 425
SUN, J.C.L. *see* EIKEN, O.
SZABO, I. *see* VALEN, G.

TAKEKURA, H., KASUGA, N. & YOSHIOKA, T. Differences in ultrastructural and metabolic profiles within the same type of fibres in various muscles of young and adult rats, 335
THORBORG, P. *see* GUSTAFSSON, U.
THORÉN, P. *see* FENG, Q.
TOBIN, G. *see* EKSTRÖM, J.
TOBIN, G., EKSTRÖM, J., EKMAN, R. & HÅKANSON, R. Influence of atropine on the depletion of vasoactive intestinal peptide, substance P and calcitonin gene-

related peptide from rat parotid gland in response to parasympathetic nerve stimulation, 463

UNGERSTEDT U. *see* LILLRANK, S.M.
USKI, T. *see* ARNER, M.

VAAGE, J. *see* VALEN, G.
VALEN, G., KASAKI, J., SZABO, I., NAGY, S. & VAAGE, J. Histamine release and its effects in ischaemia-reperfusion injury of the isolated rat heart, 413
VAN DIJK, G., BALKAN, B., LINDFELDT, J., BOUWS, G., SCHEURINK, A.J. W., AHRÉN, B. & STEFFENS, A.B. Contribution of liver nerves, glucagon, and adrenaline to the glycaemic response to exercise in rats, 305
VIGAŠ, M. *see* JEŽOVÁ, D.

WAALER, B.A. *see* ERIKSEN, M.
WALDENSTRÖM, A. *see* MARTINUSSEN, H.J.
WARBERG, J. *see* PERKO, G.
WEISENFELD-HALLEN, Z. *see* HAO, J.-X.
WEIXIONG, H., ÅNEMAN, A., NILSSON, U. & LUNDGREN, O. Quantification of tissue damage in the feline small intestine during ischamia-reperfusion: the importance of free radicals, 241
WILLIAMS, D.A. *see* LYNCH, G.S.
WOJTASZEWSKI, J.F. *see* KRISTIANSEN, S.

XU, X.-J. *see* HAO, J.-X.

YOSHIOKA, T. *see* TAKEKURA, H.

ZHAO, Q., SMITH, M.L. & SIESJÖ, B.K. The conopeptide SNX-111, and -type calcium channel blocker, dramatically ameliorates brain damage as a result of transient focal ischaemia, 459

Acta Physiol Scand 1994, **150**, 471–473

Subject index

Actin, 57, 171
Active force, 171
Adrenaline, 305
Adrenergic agonists, 67
Adrenergic antagonists, 67
Adrenergic receptors, 373
Adrenodemedullation, 305
Ageing, 211, 335
Albumin, 189, 201
Alpha-receptor, 133
Alternans, 11
AMPA receptor, 1
Anaerobic glycosis, 281
Andrenocorticotropin, 293
Angiotensin II, 181, 431
ANP, 441
Anterior pituitary, 235
Anticholinergic, 273
Arterial baroreflex, 89
Arterial blood pressure, 449
Arteries, 47
Arterioles, 47
Artery, 161, 381
Aspartate, 109
Atropine, 67, 463
Autonomic nervous system, 75, 273
Axonal transport, 57

Baroreceptor, 259
Baroreceptor interaction, 89
Beta-receptor, 133
Biomechanics, 315
Blood flow, 181, 373
Blood lactate, 455
Brain, 181, 459

C3-C4 propriospinal system, 27
Calcium, 1
Calcium and strontium activation, 141
Calcium channel blocker, 425
cAMP, 125, 133
cAMP compartment, 117, 325
Capillary permeability, 189, 201
Carbachol, 133
Cardiac output, 353, 363
Cardiopulmonary receptors, 259
Cartilage, 345
Catecholam, 373
Catecholamines, 293
Ca-ATPase, 251
Central blood pressure, 449
Central blood volume, 449
Central pain, 457
Chondrocyte, 345
Chromatolysis, 57
Circulatory stress, 347
Colchicine, 57
Congestive heart failure, 259
Corpus cavernosum, 103
Cortisol, 293
Crayfish, 151

Desmin, 171
Dopmamine, 109
Doppler ultrasound, 363
Dynamic knee extensions, 353

EDRF, 75
Electrophysiology, 117, 325
Endothelium-derived contracting factor, 47
Endurance training, 251
Energetics, 315
Enteric nerves, 273
Enzyme activity, 335
Enzyme analysis, 397
Erythropoietin, 455
ET_A receptor, 47
Exercise, 89, 141, 363
E-C coupling, 11

Females, 211
Fibre area, 251
Fibre type, 335
Fibre type distribution, 251
Fibre types, 141
Fluid filtration, 347
Focal ischaemia, 459
Force frequency relation, 125
Force interval relationships, 117, 325
FR 139317, 47
Free radicals, 241
Frost-bite, 381
Furosemide, 299

GABA, 109
Gait transition, 315
Gastrointestinal motility, 67
Glomerular, 189
Glomerular filtration rate, 431
Glucagon, 305
Glucose, 305
Glucose homeostasis, 221
Glucose-6-phosphate, 227
GLUT4, 227
Glutamate, 1
Glutamate, 109

Gradient locomotion, 315
Growth factor, 235, 345

5-HIAA, 109
H_1-receptor, 413, 413
Haemoconcentration, 347
Haemoglobin, 347
Haemorrhage, 441
Heart rate, 449
Hepatic glucose output, 221
Heteroporosity, 189
Hexamethonium, 67
Histamine, 413
Histolgy, 241
HPLC, 397
Human, 397
Human veins, 267
Hydrogen clearance, 39
Hydrostatic pressure, 201
Hypertension, 181
Hyperthermia, 293
Hypertrophy, 171
Hypotension, 441
Hypothermia, 11, 381
Hypoxanthine, 455
Hypoxia, 405
Hypoxic pressure response, 405
H^+, 227

IGF, 235, 345
IGFBP, 345
Immunohistochemistry, 103
In situ hybridization, 235, 345
Inositol triphosphate, 133
Insulin, 305
Intermediate filamnents, 171
Intermittent exercise, 455
Interneurones, 27
Intestinal motility, 273
Intestinal secretion, 273
Intracellular calcium, 11
Intrinsic activity, 227
Ion transport, 299
Ischaemia, 413, 457
Ischaemia-reperfusion, 241
Ischamic preconditioning, 42
I_{si} (calcium current),117, 125, 3256Isometric force, 117, 125, 325
Isradipine, 425

Kainate receptor, 1
Kidney perfusion, 189, 201

Labetalol, 181
Laser-Doppler flowmetry (LDF), 39
Leg blood flow, 353
Liver nerves, 305
Lymphocyte, 299

L-type calcium channel, 425

Males, 211
Mean arterial blood pressure, 353
Mechanical response, 133
Mechanical restitution, 11
Metabolic regulation, 221
Microcirculation, 39, 47
Microdialysis, 109
Microspheres, 373
Micro-electrode, 39
Middle-aged men, 353
Milrinone, 125
Mitochondria, 335
Morphometry, 57
Motor control, 27
Mucosal protection, 273
Multifibre recordings, 259
Multiple action potentials, 389
Muscarinic receptor, 133
Muscle contraction, 141
Muscle fibre type, 397
Muscle mass, 353
Myoadenylate deaminase, 397
Myocardial injury, 413
Myocardium, 11, 133
Myocytes, 117, 325
Myofibrillar ATPase histochemistry, 21
Myosin, 171
Myosin heavy chain isoforms, 21

Na,K-ATPase, 251, 299
NANC-transmitters, 83
NA^+,K^+-ATPase, 161
Neuropeptides, 463
Nitric oxide, 75, 405
NMDA receptor, 1
Non-adrenergic non-cholinergic neurotransmission, 75
Noradrenaline, 133, 161, 305
Noradrenaline release, 75
Noradrenergic nerves, 381
N-type calcium channel blocker, 459

Oedema, 347
OPC 3911, 325
Orthostatic reactions, 347
Oscillations, 161
Oxygen pressure, 39
Oxygen uptake, 353

PACAP, 103
Parotid gland, 83
Perfusion, 353
Phencyclidine, 109
Phosphodiesterase isoforms, 117, 325
Physical performance, 397
Physiology, 281

Plasma volume, 347
Porcine heart, 424
Post-prandial circulation, 363
Post-extrasystolic potentiation, 11
Potasssium channel, 161
Preconditioning, 281
Pressure-response relation, 89
Prolactin, 293
Prostaglandin D_2, 95
Prostaglandins, 267, 431
Pulmonary circulation 405
Purine metabolism, 281

Rabbit, 381
Rat, 67, 161, 335, 457
Rat colon, 95
Rat heart, 413
Rats, 459
Receptor muscle, 151
Regulation, 235
Relaxation, 1, 267
Renal, 181
Renal blood flow, 431
Renal sympathetic nerve activity, 259
Renin, 441
Reperfusion, 413
Respiratory system, 405
Re-generation, 57
Rib, 345
Rolipram, 117, 125, 325
Running, 315

Salivaruy glands, 463
Sarcolemma, 227
Sauna, 293
Schizophrenia
Secretory granules, 83
Serotonin, 39
Serum hormones, 211
Sheep, 441
Single fibres, 21
Single muscle fibre, 335
Skeletal muscle, 251
Skinned muscle fibres, 141
Small intestine, 241
Smooth muscle, 75, 95, 171
SNX III, 459
Soccer players, 21
Sodium channels, 389
Somatostatin, 305
Spinal reflexes, 27
Splanchnic circulation, 363
Spontaneous contractile activity, 171
Standing, 347
Stomach, 67
Strength, 211
Strength training, 21, 211
Stretch receptor muscle, 151
Stunning, 281
Swimming, 141, 305
Sympathetic nervous system, 305
Synaptic plasticity, 1
Synaptic vesicle, 1

^{201}TI, 299
Thermal stimulation, 259
Thirst, 181
Thromboxane A_2, 95
Tubulin, 57

Ureteral occlusion, 431
Use-dependent inhibition, 389

Vagal nerve, 67
Vagotomy, 273
Vascular endothelium, 267
Vascular resistance, 373
Vasoactive intestinal peptide, 83
Vasoactive intestinal polypeptide, 67
Vasoconstriction, 47
Vasodilation, 47
Vasomotion, 161
Vasopressin, 441
Veins, 47
Venous oxygen saturations, 449
Veratridine, 389
Viscous model, 151
Voltage clamp, 117, 125, 325
Voluntary movement, 27

Walking, 315